

DUNZO TRACK SPOT



Product & Installation Details



General Specifications

Product Reference Environment Indoor Installation Ceiling Recessed	Construction Material Housing Die Cast Aluminium Body Finish Powder Coating – White/Black	Thermal Management Heat Sink Material Die Cast Aluminium Cooling Technique Passive Cooling	LED Technology LED Lifetime @L70/B10 > 50000 Hrs. Colour Rendering (CRI) CRI80 as Standard
General Features Operating Temperature 0°C - 50°C Ingress Protection (IP) IP20	Electrical System Driven With Constant Current Driver Input Voltage 220V - 240V/50 - 60Hz Driver Non - Integrated	Controls Standard On / Off Optional Mains / Analog / Dali Bluetooth / Phase Cut	Optical System Beam Direction Rotate Tilt Yes Swivel No

Product Details

Product Name	Wattage	Dimensions (Sizes in mm)	CCT (Kelvin)	Lumens	Beam Angle	Dimming Option	Finish
CG - 46 DUNZO TRACK LIGHT	20W	Dia 75mm	3000 / 4000 / 6500	120 lm / watt	24° 36° 60°	BLE/DALI/ANALOG/PHASE CUT	White / Black
CG - 46 DUNZO TRACK LIGHT	30W	Dia 75mm	3000 / 4000 / 6500	120 lm / watt	24° 36° 60°	BLE/DALI/ANALOG/PHASE CUT	White / Black
CG - 46 DUNZO TRACK LIGHT	40W	Dia 75mm	3000 / 4000 / 6500	120 lm / watt	24° 36° 60°	BLE/DALI/ANALOG/PHASE CUT	White / Black

Manufacturer / Importer

Core GreenTech LLP

148/1179, Shree Sai Sahajeevan,
Motilal Nagar 1, Road No. 3,
Goregaon – (West) Mumbai – 400104.
Maharashtra, India

Call: +91 9833297972 | +91 9930526017

Email: projects@coregreentech.co.in

www.coregreenlighting.com

© Copyright 2024 Core GreenTech LLP. All rights reserved